

GRAPHIC SCALE



(IN FEET)
1 inch = 10 ft.

EARTHWORK
10 CY CUT
560 CY FILL
550 CY IMPORT
(ASSUMES 18" THICK STRUCTURAL SLAB)

NOTE: CONTRACTOR TO ADJUST GRADES IN FIELD AS NECESSARY TO MATCH EXISTING CONDITIONS, AND NOTIFY ENGINEER AND LANDSCAPE ARCHITECT OF ANY CONFLICTS AS DESIGNED.

2 CONSTRUCT 5-FT WIDE SECONDARY PATH. SEE LANDSCAPE PLANS FOR DETAILS.


ENERGY DISSIPATOR, SEE DETAIL THIS SHEET

SLOPE 8"SD 1% MINIMUM, AND RETAIN 12" MINIMUM COVER.

ROOF WATER DRAINS TO CISTERNS AND THEN STORM DRAIN SYSTEM

SURFACE WATER DRAINS OVER SLOPES AT 1-2% MINIMUM

FF 15.00
PAD 12.00



ENERGY DISSIPATOR DETAIL
NTS

INSTALL STD. TEE, CONNECT TO OF PERFORATED PVC TO BOTH SIDES. CAP OPEN ENDS OF PERF. PIPE. EXTEND ROCK & FABRIC 1' MIN. BEYOND ENDS OF PERFORATED PIPE.

NOTE: INSTALL 20LF 12" PERFORATED PVC WITH HOLES DOWN (MIN. 2 ROWS OF 1/2" HOLES @ 5.5" O.C.), #613P CLEANOUT ADAPTERS & #613P8 THREADED DRAIN PLUGS AT ENDS. SLOPE = LEVEL IN 22'x14" DEEP (MIN.) BENCH FILLED WITH 4" NOMINAL DRAIN ROCK.

LDSI
Land Development Solutions, Inc.
1510 Grant Ave, Suite 102
Novato, CA 94945
Tel (415) 893-8163
Fax (415) 893-9093

Drawn MLT
Designed MLT
Checked MPG
Date 01/22/07
Scale AS SHOWN

Lands of The Port of San Francisco
Eco-Center @ Heron's Head Park
Grading & Drainage Plan
San Francisco, San Francisco County, California

Revision	Date	By	Block
2	10/26/09	MLT	ADDED SECONDARY PATHS PER LANDSCAPE PLANS
1	5/15/08	MLT	PLAN REVISIONS

Prepared Under the Direction of:

REG. EXPIRES: 06/30/2008

Sheet
C-2
of 2 Sheets
Job No. 0253-010
File name 0253GP